

Tendercare Ltd, Unit 10, Minster Court, Littlehampton, West Sussex BN17 7RN Tel 01903 726161

Email: info@tendercareltd.com www.tendercareltd.com

Client Name
Contact Name
address
elephone No
ax No
Bmail

#### SNAZZI® PUSHCHAIR



Complete Includes: foldable chassis with integrated seat unit, gas strut operated tilt in space without fixed positions, padded upholstery, adjustable hip width and seat depth, fixed back height, swivelling front castors, pin lock brakes, height adjustable soft grip push handle, shopping basket and set of four transit brackets fitted.

# SNAZZI® PUSHCHAIR

□ SZ7000 Snazzi<sup>®</sup> Pushchair - Size 1 (Complete) (Maximum carrying weight of occupant & all accessories 40kg)

Snazzi<sup>®</sup> Pushchair - Size 2 (Complete) □ SZ8000 (Maximum carrying weight of occupant & all accessories 40kg)

#### FACTORY FITTED CHASSIS UPGRADES

Pneumatic Wheels - Upgrade SN6239 Front Locking Castors - Upgrade SN6238 Push Handle mounted attendant Hub Brakes \* SN6259

\* Standard foot operated brake is removed when this option is chosen. Not compatible with pneumatic wheels.

### **FABRIC OPTIONS**

Black fabric with Grey Side Wings and Hip Guides Black fabric with Magenta Side Wings and Hip Guides Black fabric with Blue Side Wings and Hip Guides Black fabric with Red Side Wings and Hip Guides Black fabric with Red Piping

**SPECIFICATIONS** 

Specifications	pecifications Size 1	
Seat Depth	210 - 290mm	270 - 350mm
Seat Width	195 - 285mm	225 - 335mm
Back Height	600mm fixed	670mm fixed
Lower Leg Length	120 - 330mm	120 - 350mm
Seat Back Recline	90° / 95°	90° / 95°
Tilt in Space	10 - 40°	10 - 40°
Pushchair Size (LxWxH)	780x610x1060mm	880x670x1120mm
Buggy Folded (LxWxH)	800x610x435mm	880x670x400mm
Weight	16kg	18kg
Max Weight Capacity	40kg	40kg

LIFESTYLE ACCESSORIES

SZ6320

SZ6326

SN6327

SZ6596

SZ6597

SZ6593

SZ6594

SZ6811

SZ6821

SZ6830

## **EQUIPMENT / CARRYING ACCESSORIES**

Shopping Basket Fits Sizes 1 & 2 - Max carrying SZ7330 capacity 3kg Equipment Carrying Tray Fits Sizes 1 & 2 \* SZ7308 Equipment Carrying Tray with o2 Cut Out Fits SZ7309 Sizes 1 & 2 \* \*Internal Dimension L 320mm x 410mm & Max carrying capacity 25kg Straps for Equipment Carrying Tray 1 x Pair TS6593

Sunhood to fit Footmuff - (Snazzi Size 1) Playtray (Clear) - Size 1 \* Playtray (Clear) - Size 2 \* Playtray (Black) - Size 1 \* Playtray (Black) - Size 2 \* Grip Rail - Size 1 \* Grip Rail - Size 2 \* \* Playtray & Grip Rail Receiver Brackets 2 x

Transparent Rain Shield - Fits Both Sizes - requires

Sun Hood - Fits Both Sizes

needed for fitting of playtray / grip rail


# **BESPOKE REQUIREMENTS**

TS6593


We make our own accessories. If you need something more bespoke/customised, please provide details below.

2 x Pairs


### **HEADRESTS**




Extra Recess With Curved Sides Headrest



Occipital Roll Headrest



Semi Recess With Curved Sides Headrest




Lateral Head Supports



(All Dimensions in mm)	✓	A	В	С	D	Е	F
Recess	SN9825	265	130	90	60	-	40
Extra Recess	SN9826	265	130	90	80	-	40
Extra Recess with curved sides	SN9828	265	130	90	80	-	40
Semi Recess with curved sides	SN9829	220	140	130	110	-	40
Occipital Roll	SN9827	265	130	90	60	80	40
Bespoke Foam Headrest			lease S rawing				
-	SN9830						
Headrest  Reduced Length	_	D	rawing				
Headrest  Reduced Length  Lateral Head		D 65	rawing 100				

# **POMMEL**



Pommel Dims. in mm	SN9652 □
A	70
В	95
С	80
D	30

#### **Lateral Trunk Supports**

TRUNK SUPPORTS



# Lateral Trunk Supports with Chest Belt



(All Dimensions in mm)	✓	A	В
Lateral Trunk Supports Size 1	SZ9835 🗖	115	100
Lateral Trunk Supports Size 2	SZ9836 🗖	155	135
Lateral Trunk Supports Bespoke - specify A & B measurements			
Lateral Trunk Supports with Chest Belt - Size 1	SZ9833 🗖	170	100
Lateral Trunk Supports with Chest Belt - Size 2	SZ9834 🗖	210	100
6" Webbing Extension (belt extension piece for lateral trunk supports with chest belt)	SN9884 □	n/a	n/a


# **CHEST HARNESSING**

If harnessing not fitted at time of purchase - below is required.

Cam Buckle 25mm with fixings for harnessing - Pair


TH6623

# KINETIC BALANCE® NEOPRENE HARNESS



Dims. in mm	Extra Small KB5.71012.0	Small KB 5.71012.1
A	220	275
В	100	110
С	150	200
D	110	145
Е	500	600

# PAEDIATRIC SLIM FIT CHEST HARNESS



Dims. in mm	KB.CHEST.TDC □
A	210
В	110
С	115
D	55
Е	580

H Belt Harness - fits all sizes Groin Adaptation Strap - requires either H Harness or Pelvic Belt for fitting TH6629/4 TH6233

#### PELVIC BELTS

Page 3 of 3

Centre Pull 2 pt hip belt (metal push button) Kinetic Balance®

Anti Tamper 2 pt hip belt (reduced access pin release) dual pull Kinetic Balance®

Centre Pull 4 pt hip belt (metal push button) Kinetic Balance®

Anti Tamper 4 pt hip belt (reduced access pin release) dual pull Kinetic Balance®

Groin Adaptation Strap (Requires either H Harness or Pelvic Belt for fitting)

LEG AND FOOT POSITIONING

# OTHER POSTURAL ACCESSORIES

TH6233

KB6.70003.0

KB6.70005.0

KB6.70047.0 KB6.70045.0

### ANKLE CUFFS - HOOK AND LOOP FASTENING

<b>√</b>	Size	A (ankle circumference)
KB8.70001.0 □	Extra Small	180mm >
KB8.70001.1 🗖	Small	180mm - 220mm
KB8.70001.2 🗖	Medium	220mm - 260mm



Measure over the rounded protuberance of the ankle (malleolus), A

1" Sacral Pad (Fits under cover) - Size 1	SZ9032
½" Sacral Pad (Fits under cover) - Size 1	SZ9029
1" Sacral Pad (Fits under cover) - Size 2	SZ9042
½" Sacral Pad (Fits under cover) - Size 2	SZ9049
Seat Wedge Pad - Size 1	SZ9035
Seat Wedge Pad - Size 2	SZ9038
Seat Wedge (Anti Thrust Style) - Size 1	SZ9036
Seat Wedge (Anti Thrust Style) - Size 2	SZ9039
D-Roll - Size 1	SZ9030
D-Roll - Size 2	SZ9040

# Calf Strap - Size 1 SZ6635 Calf Strap - Size 2 SZ6640

Toe Straps - Pair - Fits both sizes (Cam Buckle)

Heel Straps - Pair - Fits both sizes (Cam Buckle)

TS6592

Foam Pad for Footboard (Covered) 1" - Size 1 SZ6657
Foam Pad for Footboard (Covered) 2" - Size 1 SZ6656
Foam Pad for Footboard (Covered) 1" - Size 2 SZ6658
Foam Pad for Footboard (Covered) 2" - Size 2 SZ6659

#### ALTERNATIVE HARNESSING

We offer a comprehensive range of harness options of which our most popular are shown on this assessment form. We do a variety of other options, so please contact us if you require alternate harnessing.

#### **INFORMATION**

The Snazzi pushchair complies with the requirements of ISO 7176-19 and is designed to be secured facing forward.

### **CLIENT MEASUREMENTS**

- 1 Top of head to seat: \_\_\_\_\_
- 2 Top of shoulder to seat: \_\_\_\_\_
- 3 Under armpit to seat: \_\_\_\_\_(Axilla Height)
- 4 Actual sitting depth: \_\_\_\_\_
- 5 Shoulder width: \_\_\_\_\_
- 6 Chest Width: \_\_\_\_\_ (Arm Pit to Arm Pit)
- 7 Hip width: \_\_\_\_\_
- 8 Left leg drop: \_\_\_\_\_
- 9 Right leg drop: \_\_\_\_\_

