



Tendercare Ltd
PO Box 3091
Littlehampton
BN16 2WF
Tel 01903 726161
Fax 01903 734083
Email info@tendercareltd.com

Thevo Therapy Assessment Form

Client Name: _____

Contact Name: _____

Address: _____

Telephone No: _____

Fax No: _____

E-mail: _____

Thevo Therapy



Includes:

Thevo Seat with flexible spring elements and wing suspensions in the back, firm seat, breathable upholstery (only available in green and black), calf strap (on size 2 only), adjustable hip angle, height and angle adjustable foot rest and adjustable knee angle. Thevo Chassis with easy to operate height and tilt in space adjustment (foot engaged), swivelling 100mm front castors and swivelling 100mm lockable rear castors.

THEVO THERAPY CHAIR

Please tick model required:

MODEL/SIZE

Part No

Thevo Therapy Chair - Size 1 TH 8400
Maximum carrying weight of occupant and all accessories 35kg

Thevo Therapy Chair - Size 2 TH 8450
Maximum carrying weight of occupant and all accessories 40kg

ACCESSORIES

- | | |
|---|------------------------------------|
| Adjustable Headrest (Neck Support) | <input type="checkbox"/> TH 8429 |
| Adjustable Headrest (Curved) | <input type="checkbox"/> TH 8424 |
| Lateral Trunk Supports - Size 1 | <input type="checkbox"/> TH 8426 |
| Lateral Trunk Supports - Size 2 | <input type="checkbox"/> TH 8476 |
| Lateral Trunk Supports + Chest Belt - Size 1 & 2 | <input type="checkbox"/> TH 8427 |
| Lateral Impulse Sensors - Size 1 | <input type="checkbox"/> TH 8422 |
| Lateral Impulse Sensors - Size 2 | <input type="checkbox"/> TH 8472 |
| Butterfly/Chest Harness (Neoprene) Small | <input type="checkbox"/> TH 6385 |
| Butterfly/Chest Harness (Neoprene) Medium | <input type="checkbox"/> TH 6585 |
| Belt Bow (required for mounting harness) - Size 1 | <input type="checkbox"/> TH 6371/2 |
| Belt Bow (required for mounting harness) - Size 2 | <input type="checkbox"/> TH 6571/2 |
| Padded Pelvic Strap - Small | <input type="checkbox"/> TH 0148 |
| Padded Pelvic Strap - Medium | <input type="checkbox"/> TH 0147 |
| Groin Adaptation Strap - Size 1 and 2 | <input type="checkbox"/> TH 6233 |
| Pelvic Support Bar (Rear) - Size 1 | <input type="checkbox"/> TH 8432 |
| Pelvic Support Bar (Rear) - Size 2 | <input type="checkbox"/> TH 8479 |
| Pommel/Abduction Block - Size 1 | <input type="checkbox"/> TH 6620/4 |
| Pommel/Abduction Block - Size 2 | <input type="checkbox"/> TH 6720/4 |
| Soft Groin Harness - Size 1 | <input type="checkbox"/> TH 6614/4 |
| Soft Groin Harness - Size 2 | <input type="checkbox"/> TH 6714/4 |
| Calf Strap - Size 1 | <input type="checkbox"/> TH 6635/4 |
| Foot Straps - Pair (Cam Buckle Fixings) | <input type="checkbox"/> TS 6591 |
| Adjustable Armrests - Pair - Size 1 | <input type="checkbox"/> TH 8431 |
| Adjustable Armrests - Pair - Size 2 | <input type="checkbox"/> TH 8478 |
| Tray (Black) - Size 1 | <input type="checkbox"/> TH 8425 |
| Tray (Black) - Size 2 | <input type="checkbox"/> TH 8475 |
| Pushing Bar - Fits both sizes | <input type="checkbox"/> TH 8439 |

TECHNICAL INFORMATION

Specifications	Size 1	Size 2
Seat Depth	190-300mm	270-380mm
Seat Width	190-310mm	250-360mm
Back Height Adjustment (by using headrest)	470-680mm	640-780mm
Lower Leg Length	170-300mm	250-360mm
Knee Angle	90°-180°	90°-180°
Foot Angle	78°-100°	78°-100°
Footrest (WxD)	298x175mm	335x215mm
Tilt in Space	-4° - 31°	-4° - 31°
Seat Base Height	260-660mm	260-660mm
Seat Interface Height	200-590mm	200-590mm
Front Castor Size	100mm	100mm
Rear Castor Size	100mm	100mm
Weight	19.9kg	21.4kg
Carrying Capacity	35kg	40kg
Upholstery Colour	Green/Black	Green/Black



PATIENT MEASUREMENT RECORD

Name: _____ D.O.B: _____

Diagnosis: _____

Current Equipment: _____

Height: _____ Weight: _____ M / F

Date Measurements Taken: _____

By Whom: _____

Please state actual client measurements in mm.

1 Top of head to seat: _____

2 Top of shoulder to seat: _____

3 Under armpit to seat: _____
(Axilla Height)

4 Actual sitting depth: _____

5 Shoulder width: _____

6 Chest Width: _____
(Arm Pit to Arm Pit)

7 Hip width: _____

8 Left leg drop: _____

9 Right leg drop: _____



