



EASyS  
**SWIFTY**

## Technical Manual

### **Swiftly - The rehabilitation buggy**

- Model
- Positioning supports & harnesses
- Safety & protection



## SWIFTY, ...

... is an innovative, high-quality special needs stroller - with good looks. Developed from parents' recommendations, Swifty will meet the needs of a busy family.

Excellent handling and easy folding make quick trips a breeze. Cushy padding on top of a solid seat and back make long trips a joy.

Having the adjustability to personalize Swifty to each child's needs for therapy and well-being is essential; doing so without looking "medical" is just pure fun!

**Swifty – Developed from parents' recommendations.**

## Contents

page

### MODEL

Swifty rehabilitation buggy . . . . . 3

### POSITIONING SUPPORTS & HARNESSSES

Butterfly / chest harness . . . . . 4  
 Seat waistcoat . . . . . 4  
 Lateral trunk supports, stiff . . . . . 4  
 Lateral trunk supports, flexible with chest belt . . . . . 5  
 Head pillow . . . . . 5  
 Abduction block . . . . . 5  
 Soft pelvic harness . . . . . 6  
 Grip rail . . . . . 6  
 Foot straps . . . . . 6

### SAFETY & PROTECTION

Sleeping bag (padded and woven fur) . . . . . 7  
 Sun and rain cover with leg blanket . . . . . 7  
 Rain cover with leg blanket (transparent) . . . . . 7  
 Rain cape, grey . . . . . 8  
 Umbrella . . . . . 8  
 Frame padding . . . . . 8  
 Tip-assist . . . . . 9  
 Basket . . . . . 9  
 Fabric, per meter . . . . . 9

### NOTES

. . . . . 10-11



### Swiftly

<b>Item code</b>	<b>6805</b>
<b>Seat depth</b>	24 - 30 cm / 9.4 - 11.8"
<b>Seat width</b>	31 cm / 12.2"
<b>Back height</b>	62 cm / 24.4"
<b>Lower leg length</b>	16 - 33 cm / 6.3 - 13"
<b>Hip angle</b>	90° to 115°
<b>Foot angle</b>	90°
<b>Seat tilt-in-space</b>	+ 15°
<b>Size of foot rest (w x l)</b>	31 x 18 cm / 12.2 x 7.1"
<b>Overall dimensions (w x h x l)</b>	63 x 98 x 98 cm / 24.8 x 38.6 x 38.6"
<b>Folded dimensions (w x h x l)</b>	63 x 38 x 81 cm / 24.8 x 15 x 31.9"
<b>Push bar height</b>	97 cm / 38.2"
<b>Wheel size swivel wheels (front)</b>	7.5"
<b>Wheel size (back)</b>	10"
<b>Carrying capacity</b>	35 kg / 77.2 lb
<b>Weight</b>	12.4 kg / 27.3 lb
<b>Material</b>	upholstery: PES fabrics, 3-mesh-air-comfort-interlaced yarns (AGW) chassis: aluminium tubular frame, powder coated, EVA wheels

### Features

lightweight and foldable chassis with integrated seat unit, h-belt, fire retardant fabrics, breathable upholstery, hip-angle adjustable back rest, continuously adjustable seat depth, height adjustable and tiltable footrest, swivelling front wheels, foot brake, height adjustable push bar

# POSITIONING SUPPORTS & HARNESSSES




## Butterfly / chest harness Swifty

<b>Item code</b>	<b>6815/4</b> (small: S); <b>6816/4</b> (medium: M)
<b>Size of pad (w x h)</b>	S: 11.5 x 12.5 cm / 4.5 x 4.9"; M: 10.5 x 13.5 cm / 4.1 x 5.3"
<b>Total size of pad (w x h)</b>	S: 18.5 x 30 cm / 7.3 x 11.8"; M: 24.5 x 37 cm / 9.6 x 14.6"
<b>Thorax cutout (depth)</b>	S: 15.5 cm / 6.1"; M: 14.5 cm / 5.7"
<b>Belt length</b>	S: 5 - 37 cm / 2 - 14.6" (thread eye to beginning of upholstery); M: 5 - 35 cm / 2 - 13.8" (thread eye to beginning of upholstery)
<b>Weight</b>	S: 0.14 kg / 0.31 lb; M: 0.17 kg / 0.37 lb
<b>Material</b>	25 mm / 1" textile strap, plastic buckles, 100% PES upholstery (impregnated) with foam inlay
<b>Fixation</b>	4 allan countersunk screws (M5)



## Seat waistcoat Swifty

<b>Item code</b>	<b>6819/4</b> (small: S); <b>6820/4</b> (medium: M)
<b>Size of pad (w x h)</b>	S: 30 x 30 cm / 11.8 x 11.8"; M: 36 x 37 cm / 14.2 x 14.6"
<b>Belt length</b>	S: 8 - 25 cm / 3.1 - 9.8" (thread eye to beginning of upholstery); M: 8 - 23 cm / 3.1 - 9.1" (thread eye to beginning of upholstery);
<b>Weight</b>	S: 0.12 kg / 0.26 lb; M: 0.14 kg / 0.31 lb
<b>Material</b>	25 mm / 1" textile strap, plastic buckles, 100% PES upholstery (impregnated) with foam inlay
<b>Fixation</b>	hip belt, 2 allan countersunk screws (M5)



## Lateral trunk support, stiff Swifty

<b>Item code</b>	<b>6827/4</b>
<b>Support surface (h x d)</b>	13 x 13 cm / 5.1 x 5.1"
<b>Adjustment range (to each other)</b>	17 - 27 cm / 6.7 - 10.6"
<b>Weight</b>	0.36 kg / 0.79 lb
<b>Material</b>	2 mm / 0.1" aluminium plates, upholstery: 100% PES, foam / fleece padding
<b>Fixation</b>	4 button-headed screws with wing nuts (M5); 2 grommets; 2 nuts, self-locking

# POSITIONING SUPPORTS & HARNESES



## Lateral trunk supports, flexible with chest belt      Swifty

<b>Item code</b>	<b>6828/4</b>
<b>Support surface (h x d)</b>	9 x 19 cm / 3.5 x 7.5"
<b>Adjustment range (to each other)</b>	17 - 27 cm / 6.7 - 10.6"
<b>Belt length</b>	68 cm / 26.8"
<b>Weight</b>	0.32 kg / 0.71 lb
<b>Material</b>	plastic plate (polyethylene), 3-mesh-air-comfort-interlaces yarns (AGW), 100% PES
<b>Fixation</b>	4 button head screws with knurled nuts (M5); 4 grommets



## Head pillow      Swifty


<b>Item code</b>	<b>6824/4</b>
<b>Size (w x h x d)</b>	26 x 13 x 7 cm / 10.2 x 5.1 x 2.8"
<b>Cord length</b>	85 cm / 33.5"
<b>Weight</b>	0.12 kg / 0.26 lb
<b>Material</b>	100% PES with foam filling
<b>Fixation</b>	cords, belt stopper



## Abduction block      Swifty

<b>Item code</b>	<b>6823/4</b>
<b>Size (w x h x l)</b>	6 x 9 x 10 cm / 2.4 x 3.5 x 3.9"
<b>Weight</b>	0.26 kg / 0.57 lb
<b>Material</b>	wooden core with foam coating, steel angles, 100% PES upholstery
<b>Fixation</b>	1 hand screw (M6)

# POSITIONING SUPPORTS & HARNESSSES



## Soft pelvic harness      Swifty

<b>Item code</b>	<b>6818/4</b>
<b>Size of pad (w x l)</b>	20 x 24 cm / 7.9 x 9.4
<b>Belt length</b>	3 - 28 cm / 1.2 - 11" (thread eye to beginning of upholstery)
<b>Weight</b>	0.12 kg / 0.26 lb
<b>Material</b>	20 mm / 0.8" and 25 mm / 1" textile strap, plastic buckles, 100% PES upholstery with foam inlay
<b>Fixation</b>	2 allan countersunk screws (M5) 2 knurled nuts



## Grip rail      Swifty

<b>Item code</b>	<b>6621/4</b>
<b>Height to seating surface</b>	11.5 / 14 / 16.5 cm 4.5 / 5.5 / 6.5"
<b>Width (inner dimension)</b>	34 cm / 13.4"
<b>Upholstery (Ø x l)</b>	3.5 x 62 cm / 1.4 x 24.4"
<b>Weight</b>	0.36 kg 0,79 lb
<b>Material</b>	steel rail with 100% 3-mesh-air-comfort-interlaced yarns (AGW) and fleece filling
<b>Fixation</b>	2 locking pins



## Foot straps      Swifty

<b>Item code</b>	<b>6831/4</b>
<b>Belt length</b>	86 cm / 33.9"
<b>Weight</b>	0.04 kg / 0.09 lb
<b>Material</b>	20 mm / 0.8" textile strap
<b>Fixation</b>	plastic buckle



## Sleeping bag, padded Swiftly

<b>Item code</b>	<b>6825/4</b>
<b>Leg blanket (w x l)</b>	36 x (68 - 80) cm / 14.2 x (26.8 - 31.5)"
<b>Leg blanket (lower leg length)</b>	31 cm / 12.2"
<b>Weight</b>	0.62 kg / 1.37 lb
<b>Material</b>	100% PES (impregnated) with fleece filling
<b>Fixation</b>	velcro, textile strips, buttons

## Sleeping bag, woven fur Swiftly

<b>Item code</b>	<b>6826/4</b>
<b>Leg blanket (w x l)</b>	36 x (68 - 80) cm / 14.2 x (26.8 - 31.5)"
<b>Leg blanket (lower leg length)</b>	31 cm / 12.2"
<b>Weight</b>	0.76 kg / 1.68 lb
<b>Material</b>	100% PES (impregnated) with Polartec
<b>Fixation</b>	velcro, textile strips, buttons



## Sun and rain cover with leg blanket Swiftly

<b>Item code</b>	<b>68181/4</b>
<b>Hood (w x h)</b>	39 x 46 cm / 15.4 x 18.1" (inner dimensions)
<b>Hood pocket (w x h x d)</b>	24 x 28 x 5 cm / 9.4 x 11 x 2"
<b>Leg blanket (w x l)</b>	43 x 85 cm / 16.9 x 33.5"
<b>Weight</b>	1.84 kg / 4.04 lb
<b>Material</b>	hood: steel linkage with plastic grid joint, 100% PES (impregnated) with fleece filling, pocket and clear-view window; leg blanket: 100% PES (impregnated)
<b>Fixation</b>	2 plastic hood-holder, 2 button-headed screws M6, 2 self-locking nuts, 4 grommets, 4 plastic caps



## Rain cover with leg blanket, transparent Swiftly

<b>Item code</b>	<b>6814/4</b>
<b>Hood (w x h)</b>	39 x 46 cm / 15.4 x 18.1" (inner dimensions)
<b>Leg blanket (w x l)</b>	43 x 85 cm / 16.9 x 33.5"
<b>Weight</b>	1.82 kg / 4.01 lb
<b>Material</b>	hood: steel linkage with plastic grid joint, transparent films; leg blanket: transparent films
<b>Fixation</b>	2 plastic hood-holder, 2 button-headed screws M6, 2 self-locking nuts, 4 grommets, 4 plastic caps

# SAFETY & PROTECTION



## Rain cape, grey Swiftly

<b>Item code</b>	<b>6340/4</b>
<b>Length of blanket</b> (without hood)	125 cm / 49.2"
<b>Weight</b>	0.36 kg / 0.79 lb
<b>Material</b>	hydrophobic synthetic fibre
<b>Fixation</b>	elastic



## Umbrella Swiftly

<b>Item code</b>	<b>6821/4</b>
<b>Diameter Ø</b>	65 cm / 25.6"
<b>Height</b>	75 cm / 29.5"
<b>Weight</b>	0.48 kg / 1.06 lb
<b>Material</b>	wire linkage with 2 bendable elements and 100% PES covering
<b>Fixation</b>	screw clamp



## Frame padding Swiftly


<b>Item code</b>	<b>6817/4</b>
<b>Outer dimensions</b> (w x h)	(10 - 15) x 45 cm / (3.9 - 5.9) x 17.7"
<b>Weight</b>	0.24 kg / 0.53 lb
<b>Material</b>	100% PES with foam filling
<b>Fixation</b>	velcro



Tip-assist	Swiftly
<b>Item code</b>	<b>6829/4</b>
<b>Tread (w x l)</b>	4 x 8 cm / 1.6 x 3.1"
<b>Weight</b>	0.22 kg / 0.49 lb
<b>Material</b>	steel, non-slip pad
<b>Fixation</b>	clamp, screw



Basket	Swiftly
<b>Item code</b>	<b>6813/4</b>
<b>Size (w x h x l)</b>	28 x 23 x 35 cm / 11 x 9.1 x 13.8"
<b>Volume</b>	13 l
<b>Carrying capacity</b>	3 kg / 6.61 lb
<b>Weight</b>	0.34 kg / 0.75 lb
<b>Material</b>	100% PES, spacing interlaced yarns, plastic plate
<b>Fixation</b>	snap-hooks



uni black    grey    AGW

Fabric, per meter	uni black	grey	AGW
<b>Item code</b>	<b>6652</b>	<b>6656</b>	<b>6658</b>
<b>Weight</b>	200 gr / m <sup>2</sup>	200 gr / m <sup>2</sup>	380 gr / m <sup>2</sup>







Member of the International  
Support Association for the  
Rehabilitation of Children and Youths e.V.

---



Walkmühlenstraße 1 · D - 27432 Bremervörde · Germany  
Phone: +49 (0) 47 61 / 8 86-63 or -66 · Fax: +49 (0) 47 61 / 8 86-19  
[www.thomashilfen.com](http://www.thomashilfen.com)